



General Conformity Certification

| Product Covered by Certificate | Sheaffer Item Number |
|--|-----------------------------|
| Sheaffer Agio Collection Ball Point Pen | 10010580 |

| <u>Place of Manufacture</u> | <u>Date of Manufacture</u> |
|------------------------------------|--|
| Dong Guan, China | Manufactured on or after November 12, 2008 |

| <u>U.S. Importer</u> | <u>Record Keeper</u> |
|--|---|
| <p>BIC Graphic USA 14421 Myerlake Circle Clearwater, FL 33760 727-536-7895</p> <p>Hampton-Haddon Marketing Corporation 4700 Wissahickon Avenue Philadelphia, PA 19144 Tele: 781-290-4824</p> | <p>Product Safety Specialist One BIC Way, Suite 1 Shelton, CT 06484 Tele: 203-783-2000 Fax: 203-783-2108 productsafety@bicworld.com</p> |

| <u>Regulation Description:</u> | <u>Regulation Citation:</u> | <u>Test Lab:</u> | <u>Test Date:</u> |
|---|--|--|-------------------------------------|
| Products requiring special labeling under section 3(b) of the FHSA and exemptions. | Federal Hazardous Substances Act 16 CFR Part 1500.14 16 CFR Part 1500.83 | Duke Occupational Health Services 2200 West Main Street Suite 400 Durham, N.C. 27705 Contact: Dr. Larry Cook Phone: (919) 681-6618 Fax: (919) 286-5647 e-mail: cook0033@mc.duke.edu | 30 May 07 02 Jun 09 23 Nov 13 |
| Determination of substances defined as a sensitizer. | Federal Hazardous Substances Act 16 CFR Part 1500.3 | | |
| Determination of substances defined as flammable. | Federal Hazardous Substances Act 16 CFR Part 1500.3 | | |
| Duke University toxicological assessment and determination of labeling requirements Required for any products that will need ACMI or WIMA certification. | Federal Hazardous Substances Act 16 CFR Part 1500.3 LHAMA (The Labeling of Hazardous Art Materials Act) set forth in ASTM D-4236. 16 CFR Part 1500.14(b)(8) | | |

